APR 3		N THE	UNITED STATES PATENT AND TRA	DEMARK OFFICE
	Applicant	:	Clark, et al.)
A BAD	EMP)
	App. No.	:	10/724,017)
)
	Filed	:	November 26, 2003)
)
	For	:	UV FLUX MULTIPLICATION)
٠			SYSTEM FOR STERILIZING AIR,)
			MEDICAL DEVICES AND OTHER)
			MATERIALS)
		,)
	Examiner	:	Unknown	,)

ESTABLISHMENT OF RIGHT OF ASSIGNEE TO TAKE ACTION AND REVOCATION AND POWER OF ATTORNEY

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

The undersigned is empowered to act on behalf of the assignee below (the "Assignee"). A true copy of the original Assignment of the above-captioned application from the inventor(s) to the Assignee is attached hereto. This Assignment represents the entire chain of title of this invention from the Inventor(s) to the Assignee.

I declare that all statements made herein are true, and that all statements made upon information and belief are believed to be true, and further, that these statements were made with the knowledge that willful, false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001, and that willful, false statements may jeopardize the validity of the application, or any patent issuing thereon.

The undersigned hereby revokes any previous powers of attorney in the subject application, and hereby appoints the registrants of Knobbe, Martens, Olson & Bear, LLP, 2040 Main Street, Fourteenth Floor, Irvine, California 92614, Telephone (949) 760-0404, Customer

App. No.

10/724,017

Filed

November 26, 2003

No. 20,995, as its attorneys with full power of substitution and revocation to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected herewith. This appointment is to be to the exclusion of the inventor(s) and his attorney(s) in

accordance with the provisions of 37 C.F.R. § 3.71.

Please use Customer No. 20,995 for all communications.

NOVATRON, INC.

Dr. Wayne Clark

Title: President, CEO

Address: 5955 Mira Mesa Blvd. Ste. A

San Diego, CA 92121

S:\DOC\$\RMJ\RMJ-3201.DOC:gem040804